

FIG. 1






FIG. 2



09877093 - 064101


FIG. 3



09877093-064101

FIG. 4A


## BEHAVIOR OF DRIVER IN ARRANGEMENT OF FIG.2



卷之三

FIG. 4B

## BEHAVIOR OF DRIVER IN ARRANGEMENT OF FIG.3



**FIG. 5**


APPLICATION	~501
FREE SPACE	~502
RELATED DATA	~503
PRINT-RELATED MODULE	~504
OS	~505
BIOS	~506

09877093.061101

## FIG. 6

手ブレ補正機構を搭載し、最高レベルの画質を再現した、  
新世代の超望遠Lレンズ


1.新規光学設計による超高画質  
第2・第3レンズにUDガラスを、第5レンズに萤石を採用することにより、望遠レンズで発生しがちな画質低下の要因である二次スペクトルを極小に抑え、高解像・高コントラストな画質を実現しています。



600dpi  
8BITS EACH FOR  
R, G, AND B COLORS  
IMAGE DATA

2.手ブレ補正機構を搭載  
手ブレ補正機構とは、レンズ内の振動ジャイロで検知した手ブレに応じて、光学系の一部(補正光学系)を光軸と垂直方向に移動し、像ブレを打ち消す方向に光線を屈折させる技術で、これによりシャッタースピード換算で約2段分の補正効果が得られます。

FIG. 7




## F I G. 8

SETTING ITEM	AUTOMATIC SELECTION MODE	CPDL PDL MODE	Raster IMAGE MODE
Mode Details			<input type="radio"/>
Gradation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Color Halftones	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gray Compensation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
⋮	⋮	⋮	⋮
⋮	⋮	⋮	⋮
⋮	⋮	⋮	⋮

09877893-081101

## FIG. 9




00000000000000000000000000000000

## FIG. 10

## COLLECTION OF DETERMINATION INFORMATION


PRINT DATE & TIME			1001	
PRINTER USER				
FILE NAME				
FILE UPDATE DATE				
APPLICATION NAME				
APPLICATION VERSION				
DRIVER OPERATION STATE				
TOTAL NUMBER OF PAGES				
FIRST PAGE	TEXT	NUMBER OF OBJECTS		
		MAXIMUM POINT SIZE		
	GRAPHICS	NUMBER OF OBJECTS		
		ROP		
	IMAGE	RESOLUTION, TONE LEVEL		
		DATA SIZE		
		ROP		
SECOND PAGE	TEXT	NUMBER OF OBJECTS	1002	
		MAXIMUM POINT SIZE		
	GRAPHICS	NUMBER OF OBJECTS		
		ROP		
	IMAGE	RESOLUTION, TONE LEVEL		
		DATA SIZE		
		ROP		

FIG. 11




09877093 · 061101

FIG. 12




035077893 - 3145077890

FIG. 13




1011903-00072890

FIG. 14



## FIG. 15

STORAGE MEDIUM SUCH AS FD/CD-ROM




MEMORY MAP OF STORAGE MEDIUM

09877093-061101

## FIG. 16

PRINT PROCESSING METHOD DETERMINATION PROCESSING



09877093 . 0901401

**FIG. 17**

00877093.0110101

DETERMINATION ITEM	CPDL(PDL)	Raster(IMAGE)
Mode Details (High Speed)	<input type="radio"/>	<input type="radio"/>
Mode Details (High Quality)	<input type="radio"/>	<input type="radio"/>
Overlay Print	<input type="radio"/>	
Color Half Tones (Error Diffusion)		<input type="radio"/>
:		
:		
:		